PRESENTERS INTRODUCTION

David Wang
Director of Sales

Evelyn Cockrell
Operation Sales Manager

ENERLITES

EXECUTIVE SUMMARY

- Company Background
- Sales Regions & Logistic Points
- Product Categories
- Products Introduction
- Q & A

ENERLITES

COMPANY BACKGROUND

- Manufacturer established in 2003 in Wenzhou, China
- Enerlites brand was introduced to the US Market in 2007
- 36 U.S patents and 50 Chinese patents
- Part of the National Electrical Manufacturers Association
- California Title 24 & Title 20 Compliant
- Products listed as UL/ cUL or ETL standard

ENERLITES

Sales Regions and Logistic Points



ENERLITES

Product Categories

- USB Charger Receptacles
- Sensors
- Timers
- Dimmers
- Plug Load Controls
- Data-Com Devices
- Toggle Switches
- Floor Boxes and Covers
- Decorator Devices
- Wall Plates
- Locking Devices
- Weatherproof Covers
- Surge Suppressors
- Home Automation – WiFi & Z-Wave

Product Categories

Enerlites specializes in sensors, innovative USB receptacles and wiring devices!

Over 700 quality products and counting….

High Speed USB Receptacles

CU

CC



Charging Speed from 4.0A to 5.8A

High Speed USB Type A/C Receptacles

5.4A



61501/62001-TR2USB-1A1C

3.6A



61501/62001-TR2USB3-1A1C



61501-2C3

Interchangeable Module - CU



61150-TR2USB-CU
61200-TR2USB-CU

61150-TR3USB-CU
61200-TR3USB-CU

Future Proof USB Ports



Interchangeable Face Cover - CC

61501-TR2USB-1A1C
62001-TR2USB-1A1C

61501-TR2USB-CC
62001-TR2USB-CC

61501-TR3USB-CC
61501-TR3USB-CC

Quick-Charge and Power Delivery

36W

Quick-Charge

36W



Quick-Charge/Power Delivery



GaN Technology Power Delivery 60W

- 61501-1A1C-60PD
- 15Amp, 125VAC, NEMA 5-15R

  Type A, 5V @ 2.4A
- Type-C Power Delivery

  60W = 20V @ 3A

In-Wall Sensor Family

Hospitality/Motel Occupancy Sensor

HMOS
HMOS-J
HMVS
HMVS-J

Decorator In-Wall Occupancy Sensor

DWOS-1277
DWOS-1277-NL
DWOS-3R
DWOS-J
DWOS-3J

Decorator In-Wall Occupancy Sensor
Ground + Dual Load

DWOS-JD

Multi-Technology In-Wall Occupancy Sensor

MWOS

Decorator In-Wall Occupancy Diming Sensor

DWODS-010
DWODS-120

Decorator In-Wall Humidity/Occupancy Sensor

DWHS
DWHOS

Fresh Air Circulators

- 180° PIR Motion & Humidity Sensor
- 120VAC @ 60Hz
- Occupancy/Vacancy
- Reinforced PIR Lens
- Active LED & Fan Indicator
- 30 min. Light Time Delay
- 10-60 minutes Fan Time Delay
- 10-60 minutes MPH-Auto Mode
- 1/6HP (3amp) Fan Load
- Single Pole
- 2 Separate Loads
- Neutral Wire Required
- Qualifies for ASHRAE 62.2

DWTOS

- Fan Control with Auto Air Cycle
- 120VAC @60Hz
- Fan On Indicator
- 60 min. Fan Time Delay
- 10-60 minutes MPH-Auto Mode
- 1/6HP (3amp) Fan Load
- Manual ON/OFF
- Single Pole
- Neutral Wire Required
- Qualifies for ASHRAE 62.2

DWTS

Fresh-Air Circulator Video

DWTOS

DWTS



Sensing Control – Ceiling Sensors

MDC-50V
MDC-50L

MPC-50V
MPC-50VD
MPC-50L

MPC-50H
MPC-50HD

MPC-52V

MPL-010

NEW Mounting Adapters

MPC-A

allows the user to mount the ceiling sensor onto the mud ring of several types of junction boxes.

Mount.....J-BOX
Dimensions.....ø 4.5" x 1" D
Compatibility.....MPC/MDC

MPC-B

turns a recessed ceiling mount into a surface mount with a simple and fast installation method.

Mount.....SURFACE
Dimensions.....ø 4.5" x 1.5" D
Compatibility.....MPC/MDC

MPC-C

turns a high-bay fixture mount sensor into a surface mount in minutes, no junction box needed.

Mount.....SURFACE
Dimensions.....ø 4.5" x 1/2" D
Compatibility....MPC-50H/HD

MPC-D

off-set mounting adapter, provides top or side mounting options when installing high bay sensors.

Mount.....FIXTURE
Dimensions.....ø 4.5" x 1/2" D
Compatibility....MPC-50H/HD

Daylight Harvesting Sensor

MPL-010



NEW Screwless Wall Plates



W | BK | GY | LA | I

NEW Medium Screwless Wall Plates

W BK GY LA I

SI8831M-SI8834M

NEW Screwless Toggle Wall Plates

SI8811 - SI8814



W | BK | GY | LA | I

NEW Screwless Wall Plates



SI8811-SI8812



SI8801-SI8802



W | BK | GY | LA | I

Decorator Receptacles

Residential



Receptacle with Guide Light



Commercial



Surge Suppressor Receptacles

Isolated Ground

15/20 Amp & 125/250VAC Options

15/20A, 125/250VAC Receptacles

Enerlites **GRADES** of receptacles. From residential to hospital grades. The Grades that we manufactured are:

Residential

Commercial

Industrial

Indicates Isolated Ground

Industrial

Indicates Hospital Grade

Hospital

NEW Heavy Duty Commercial Switches

81201

83201

84201

NEW Heavy-Duty Motor Control Switches

82200

83200



82200L
Lighted Red

83200L
Lighted Red

Residential/Commercial Decorator Switch

91150
Single
Pole
15A

93150
3-way
15A

91200
Single
Pole
20A

93200
3-way
20A

W | BK | GY | LA | I

One Gang Square Floor Boxes – Soft Released

961248-C-GFCI

961248-S-USB

961248-C-USB

961248-S-GFCI

Two-gang Rectangular Pop-Up Floor Boxes

Two Gang Pop-up Floor Box Assembly with 20A Decorator Duplex Tamper & Weather Resistant Receptacle



Two Gang Pop-up Floor Box Assembly with 20A Decorator Duplex Tamper & Weather Resistant Receptacle and RJ45

***All receptacles are tamper/weather resistant, UL listed**

NEMA Locking Devices

ENERLITES

Solid Brass Blades
Fitted and held tightly secure in place.

Locking Plug

Hi-Impact Design
Thermoplastic Construction

NEMA Line Number, Rating and Voltage
Imprinted on face

Locking Connector

NEMA line number and rating
Imprinted for easy identification

Heavy-duty mounting straps
Nickel plated to resist corrosion

High Impact-Resistant
Nylon face and body

Locking Receptacle

Extra Duty Weatherproof Cover

Features:

- Made of polycarbonate
- Quick Fit installs in minutes
- Includes gasket and mounting hardware
- UV resistant, non-corrosive, non-conductive
- Two-year warranty

MARKETING MATERIALS

Print & Digital Assets

- Videos
- Brochures
- Sell Sheets
- Cut Sheets
- Swag
- Product Catalog

Contact: marketing@enerlites.com for any specific requests.

*** Link to Asset Folder Available Upon Request ***

ENERLITES

Q
A

Thank you!

ENERLITES